

# Moab

## How can I get debug information without a core file?

### Issue:

Not all sites generate core files, yet source code information is needed by developers.

### Solution:

Adaptive Computing has a script that will get the relevant binary offsets from the backtrace information in the Moab log files, and look up the source information by reading the Moab executable.

### Prerequisites:

The script depends on having the open-source program `addr2line` installed. This can be obtained separately, or it's installed as part of the `binutils` package.

The Perl script will also need to be downloaded. It's attached to this ticket, and can also be downloaded from [http://files.adaptivecomputing.com/support/moab\\_addr2line.pl.gz](http://files.adaptivecomputing.com/support/moab_addr2line.pl.gz).

Decompress the script and make it executable. You can either place it somewhere in the path, or run it specifying its path.

### Using the Script:

You will need to run the script as root (either logged in as root, via `sudo`). The first step is to identify which log file(s) have the backtrace information. If your logs rotate frequently, you may want to make a copy of the log file(s). A good way to find backtraces is by using `grep`, as will be shown below.

Here is an example of what a typical run might look like:

```
root@root $ grep -l "Begin Moab Backtrace" /opt/moab/log/*
moab.log
moab.log.4
```

```
root@root $ cp /opt/moab/log /tmp/root@root $ ./moab_addr2line.pl /tmp/moab.log
```

```
-----Begin Moab Backtrace-----
```

```
Version: moab server 9.1.1 (revision 2017040313, changeset
cde619758eb7890901ade22e3fdd168f36c024d2)
```

```
Backtrace timestamp: 2017-09-28T17:03:25.809-0600
```

```
Caught Signal 11 (SIGSEGV) Invalid memory reference
```

```
kill(2) or raise(3). Sent by pid:28095 uid:0
```

```
MSysBacktraceHandler(int, siginfo_t const*, void*) |
```

```
/opt/src/build/moab/9.1.1/src/moab/MSysSignalHandling.c:330
```

```
?? | ??:0
```

```
?? | ??:0
```

# Moab

```
MUSleep(long, unsigned char) | /opt/src/build/moab/9.1.1/src/moab/MTime.c:2103  
MUIAcceptRequests(msocket_t const*, long) |  
/opt/src/build/moab/9.1.1/src/moab/MUIAcceptRequest.c:506root@root $
```

Note that the logs can be copied to a different computer to analyze, but the Moab executable will also need to be copied, and will need to be in the location it was on the Moab server.

Unique solution ID: #1209

Author: Rob Greenbank

Last update: 2018-04-27 18:58